

Declaration of Performance

In accordance with Annex III of Regulation (EU) No. 305/2011
(Construction Product Regulation)

No: 1370-CPR-0928

1. Unique identification code of the product type(s):

BS EN 934-2:2009 + A1:2012, Supershield Admix 100

2. Type, batch or serial number or other identifying mark to identify the construction product as set out in Article 11 (4):

Batch number: See product packaging

3. Intended use as foreseen by the manufacturer of the construction product in accordance with the harmonised technical specification:

Water resisting concrete admixture according to BS EN 934-2 (Table 9)

4. Name, registered trade name or registered trade mark & contact address of the manufacturer as set out in Article 11 (5):


**Supershield Private Limited
77, Race Course Road
Coimbatore 641018
India
COD IND – 0928**

5. When applicable, the name and contact address of the authorized representative who has received a mandate for the tasks set out in Article 12 (2):

**Supershield Italia Srl
CorsoRodolfo Montevocchio 50 - 10129 Torino (TO), Italy**

6. System or systems for assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 2+



7. In the case of a declaration of performance concerning a construction product that is covered by a harmonised standard:

Notified factory production control certification body No. 1370 performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance; assessment and evaluation of factory production control and issued the certificate of conformity of the factory production control according to system 2+ & issued the following:

Certificate of Factory Production Control No. 1370-CPR-0928

8. In the case of a declaration of performance concerning a construction product for which a European Technical Assessment was issued:

Not Relevant

9. Declared Performance:

Essential characteristics	Performance	Harmonised technical specification
Chloride Ion Content	$\leq 0.1\%$ by mass	EN 934-2:2009 / A1: 2012
Alkali Content	$\leq 10.3\%$ by mass	
Capillary Absorption	Tested for 7 days after 7 days curing: test mix $\leq 50\%$ by mass of control mix Tested for 28 days after 90 days curing: test mix $\leq 60\%$ by mass of control mix	
Compressive Strength	At 28 days: test mix $\geq 85\%$ of control mix	
Air Content	Test mix $\leq 2\%$ by volume above control mix	
Corrosion Behavior	Contains only substances according to EN 934-1 Annex A.1	

10. Declaration

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance (DoP) is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Date: 18.08.2015

Sinoj N Thoppil

Technical Head