

SUPERSHIELD PRIVATE LIMITED

No. 77, Race Course Road,
Coimbatore - 641 018.
Phone : +91 422 3204210

No. 37, 3rd Main Road, R.A. Puram,
Chennai - 600 028.
Phone : +91 44 32966258

Toll Free: 1800 425 5505 | www.supershieldglobal.com | info@supershieldglobal.com



Declaration of Performance

In accordance with Annex III of Regulation (EU) No. 305/2011
(Construction Product Regulation)

No: CPR-01/07/2013-0928

1. Unique identification code of the product type(s):

BS EN 934-2:T9, Supershield Admixplus

2. Type, batch or serial number or other identifying mark to identify the construction product as set out in Article 11 (4):

Batch number: See product packaging

3. Intended use as foreseen by the manufacturer of the construction product in accordance with the harmonised technical specification:

Water resisting concrete admixture according to BS EN 934-2 (Table 9)

4. Name, registered trade name or registered trade mark & contact address of the manufacturer as set out in Article 11 (5):

**Supershield Private Limited
COD- IND-0928**

5. When applicable, the name and contact address of the authorized representative who has received a mandate for the tasks set out in Article 12 (2):

**Supershield Italia Srl
Corso Montevicchio 50 - 10129 Torino, Italy**

6. System or systems for assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 2+

SUPERSHIELD PRIVATE LIMITED

No. 77, Race Course Road,
Coimbatore - 641 018.
Phone : +91 422 3204210

No. 37, 3rd Main Road, R.A. Puram,
Chennai - 600 028.
Phone : +91 44 32966258

Toll Free: 1800 425 5505 | www.supershieldglobal.com | info@supershieldglobal.com



7. In the case of a declaration of performance concerning a construction product that is covered by a harmonised standard:

Notified factory production control certification body No. 1023 performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance; assessment and evaluation of factory production control and issued the certificate of conformity of the factory production control according to system 2+ & issued the following:

Certificate of Factory Production Control No. 1370 – CPR –0928

8. In the case of a declaration of performance concerning a construction product for which a European Technical Assessment was issued:

Not Relevant

9. Declared Performance:

Essential characteristics	Performance	Harmonised technical specification
Chloride Ion Content	≤ 0.1% by mass	EN 934-2:2009 / A1: 2012
Alkali Content	≤ 10.3% by mass	
Capillary Absorption	Tested for 7 days after 7 days curing: test mix ≤50% by mass of control mix Tested for 28 days after 90 days curing: test mix ≤ 60% by mass of control mix	
Compressive Strength	At 28 days: test mix ≥ 85% of control mix	
Air Content	Test mix ≤ 2% by volume above control mix	
Corrosion Behavior	Contains only substances according to EN 934-1 Annex A.1	

SUPERSHIELD PRIVATE LIMITED

No. 77, Race Course Road,
Coimbatore - 641 018.
Phone : +91 422 3204210
Toll Free: 1800 425 5505 | www.supershieldglobal.com | info@supershieldglobal.com

No. 37, 3rd Main Road, R.A. Puram,
Chennai - 600 028.
Phone : +91 44 32966258



10. Declaration

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance (DoP) is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Date: 16.01.2017

Authorized Signatory
Supershield Pvt. Ltd.

Property	Value
Compressive Strength	≥ 70 MPa by mass
Tensile Strength	≥ 10 MPa by mass
Flexural Strength	Tested for 7 days after 7 days curing, test not given by mass of control mix
Compressive Strength	Tested for 28 days after 28 days curing, test not given by mass of control mix
Compressive Strength	at 28 days, test not given by mass of control mix
Flexural Strength	Test not given by mass of control mix

Note: Such information contained within this declaration of performance is to the best of Supershield's knowledge and belief accurate and reliable as of date of publication. However no representation, warranty or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself/herself as to the suitability and completeness of such information for his/her own particular use. With respect to the product the manufacturer makes no warranty as to its merchantability or fitness for a particular purpose. Supershield shall make no warranty or guarantee that the declared performance data will be met during a particular application, due to the many variables that can affect such data. For more information the user should refer to the technical data sheets and manuals which are available upon request. Reservation is made to the right to change the properties of the products. For information on the safe handling, storage and disposal of the products, the user shall refer to the latest version of the material safety data sheet, copies of which will be provided upon request.